

	4) Hurdle	AFI	ATE							
	5) Athletic Short	AFI	NIVIA							
	6) Athletic Banian	AFI	NIVIA							
	7) High Jump Post	AFI	ATE							
	8) High Jump Cross Bar	AFI	ATE							
	9) Starting Gun	AFI	ATE							
	10) Staring Block	AFI	ATE							
	11) Stop Board (Shot Put)	AFI	ATE							
	12) Take Off Board (Long Jump)	AFI	ATE							
	13) Pit Rake (Long & Triple Jump)	AFI	ATE							
	14) High Jump Pit (Dunlop)	AFI	ATE							
	15) Hammer	7.260 Kgs	ATE							
		4.000 Kgs								
	16) Relay Button	AFI	ATE							
2	ARCHERY									
	1) Bow	AAI	RUTH INDIA							
	2) Arrow	AAI	RUTH INDIA							
	3) Target Boss	AAI	RUTH INDIA							
	4) Target Face	AAI	RUTH INDIA							
3	BADMINTON									
	Badminton Racket	BAI	YY (Voltric Tour 8800)							
	(for National/International	BAI	YY (Doura 77)							
	Tournament)	BAI	YY(Astrox 38)							
	Badminton Racket India	BAI	Koxtan 999							
	(Normal)	BAI	Koxtan Elegan							
		BAI	Cobo							
	1) Shuttle Cock	BAI	Dodo							
		BAI	Coxel F-16							
		BAI	YY As2							

	2) Badminton Net	BAI	Normal							
		BAI	YY							
4	BASKETBALL									
	1) Size 6 Ball	Indoor	Nivia							
		Outdoor								
	2) Size 7 Ball	Indoor	Nivia							
		Outdoor								
	3) Net	BFI	Nivia							
	4) Back Board	BFI	Stag							
	5) Basketball Ring	BFI	Stag							
5	BOARD									
	1) Carrom Board	Large	N.A							
		Medium								
	2) Draught Board	Large	N.A							
		Medium								
	3) Chinese Checker	Large	N.A							
		Medium								
	4) Chess Board	Large	N.A							
		Medium								
6	BOXING									
	1) Glove									
	10 oz	Leather	Universal							
		Synthetic								
	8 oz	Leather	Universal							
		Synthetic								
	2) Head Guard (M)	Leather	Universal							
		Synthetic								
	2) Head Guard (M)	Leather	Universal							
		Synthetic								

9	FENCING									
	a) Electric Foil Complete	FAI	Tanshi, India							
	b) Electric Epee Complete	FAI	Tanshi, India							
	c) Electric Sabre Complete	FAI	Tanshi, India							
	d) Foil/E/S Body Wire Colored	FAI	Tanshi, India							
	e) Foil/Sabre Mask 350N	FAI	Tanshi, India							
	f) 3 Weapons Gloves	FAI	Tanshi, India							
	g) Fencing Suit	FAI	Tanshi, India							
	h) Full Chest Protector (MW)	FAI	Tanshi, India							
10	FOOTBALL									
	a) Good quality for Tournament	AIFF	Nivia (Shining Star)							
	b) Normal for distribution	AIFF	Cosco							
		AIFF	Nivia							
	c) Futsal	AIFF	Nivia							
	d) Speed Ladder	AIFF	Koxton							
	e) Marker	AIFF	Koxton							
		AIFF	Nivia							
	f) Cones	6"	Koxton							
			Nivia							
		9"	Koxton							
			Nivia							
		12"	Koxton							
			Nivia							
		15"	Koxton							
			Nivia							
	18"	Koxton								
		Nivia								

	g) Bibs	Free Size	Open							
	h) Training Pole	Free Size	Koxtan							
	i) Shin Guard	Free Size	Nivia							
		Free Size	Kobo							
	j) Goal Net	Double Net	Koxtan							
11	HOCKEY									
	a) Hockey Stick	Carbon Fibre	Rakshak							
		Composite Fibre								
		Normal Wooden								
		Full Wooden								
	b) Hockey Ball	Hollow Ball	Rakshak							
		Cyber Ball								
		Dimple Practice Ball								
		Dimple Gold Ball								
	c) Hockey Net	Double Net	Rakshak							
	e) Shin Guard	Expert	Rakshak							
	f) Stocking	Best quality	Rakshak							
	g) Goalkeeper Kit	DBO Style G.K	Rakshak							
		Light Weight Version								
		Economy Version								
12	JUDO									
	a) Judo Mat	JFI/JAI	Esskay							
	b) Judogi	Large	Greenhill							
		Medium								
		Small								
	c) Dummy	Big	Esskay							
		Small								

13	TABLE TENNIS									
	a) Table Tennis Board	1000 DX	Stag							
	b) Table Tennis Bat	Joola Star	Joola							
	c) Table Tennis Ball	3 Star	Stag							
	d) Table Tennis Net	ATTF	Stag							
14	TAEKWONDO									
	a) Chest	TFI	Adidas							
		TFI	Hannah Co.							
	b) Head Guard	TFI	Adidas							
		TFI	Hannah Co.							
	c) Fore Arm Guard	TFI	Adidas							
		TFI	Hannah Co.							
	d) Shin Guard	TFI	Adidas							
		TFI	Hannah Co.							
	e) Kick Pad	TFI	Adidas							
		TFI	Hannah Co.							
	f) Big Target	TFI	Adidas							
		TFI	Hannah Co.							
	g) Taekwondo Uniform	TFI	Daedo							
15	UNIFORM SET (Best Quality)									
	a) Football	Large	N.A							
		Small								
	b) Volleyball	Large	N.A							
		Small								
	c) Hockey	Large	Rakshak							
		Small								

	f) Hyper Extension Back	WFI	Eleiko							
	g) Weightlifting Belt	Big	Shiv Naresh Sports							
		Small								
	h) Weightlifting shoe	Large	Shiv Naresh Sports							
		Medium								
		Small								
	i) Weightlifing Custom	Large	Shiv Naresh Sports							
		Medium								
		Small								
18	WRESTLING									
	a) Mat	WFI	Esskay Sports							
	b) Dummy	Big	Esskay Sports							
		Small								
	c) Shoe	Large	Esskay Sports							
		Medium								
		Small								
	d) Wrestling custome	Large	Esskay Sports							
		Medium								
		Small								
19	WUSHU									
	a) Chest Guard	Large	USI							
		Medium								
		Small								
	b) Gloves	Large	USI							
		Medium								
		Small								
	c) Head Gear	Large	USI							
		Medium								
		Small								
	d) Leg Guard	Large	USI							
		Medium								
		Small								

	e) Punching Pad	WFI	N.A							
	f) Kick Pad	WFI	N.A							
	g) Kick Bag	WFI	N.A							
20	COMMON MATERIALS									
	a) Stop Watch	N.A	Nivia							
	b) Lime	N.A	N.A							
	c) Skipping Rope	N.A	N.A							
	d) Measuring Tape	100 mtr.	Freemen							
		50 mtr.								
		20 mtr.								
	e) Dump Bell	N.A	N.A							
	f) Track Suit	Foreign	N.A							
		India	N.A							
	g) Hand Pump	N.A	N.A							
	h) Hand Pump	N.A	N.A							
	i) Cone	6 inch	Flash							
	j) Whistle	N.A	Koxtons							
	k) Bibs	N.A	N.A							
	l) Electronic Weighing Machine	N.A	N.A							
	m) Medal (Gold,Silver&Bronze)	2 1/2 inches	N.A							
	n) Crepe Bandage	2 inches	N.A							
	o) Rubber Resistant Band	Large	Datsen Co.							
		Small								
	p) Speed Ladder	6 mtr.	Flash							
		8 mtr.								
	q) Bar Bell	4 Kgs.	Datsen Co.							
		8 Kgs								
	r) Medicine Ball	1 Kg.	Datsen Co.							
		2 Kgs.								
		4 Kgs.								

21	Rope 10.5 mm diameter	Semi Static Rope - 10.5 mm diameter,	Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.									
22	Rope 11 mm diameter	Static Rope 11 mm diameter,		Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.								
23	Padded Seat Harness	Padded Seat Harness, adjustable leg loops Material(s): high-strength polyester webbing, perforated closed-cell foam, polyester fabric Certification(s): CE, EN 12277 type C, UIAA 105			Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.							
24	Non- Padded Seat Harness	Non- Padded Harness, adjustable harness with equipment loop Material(s): polyester and Dyneema attachment point, nylon webbing Certification(s): CE, EN 12277 type C, UIAA 105				Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.						

25	Padded Seat Harness	Adjustable harness with padded waist belt and leg loops Material(s): nylon webbing, polyester and Dyneema attachment point, polyethylene/EVA foam, closed-cell foam padding, 3D woven polyester mesh Certification(s): CE, EN 12277 type C, UIAA 105								
26	Non padded Full body harness	Full body harness , Non-Padded, adjustable Material(s): high-strength polyester webbing Certification(s): CE, EN 12 277 type A, UIAA 105								
27	Chest harness	Non- Paded Adjustable chest harness for seat Harness Material(s): high-strength polyester webbing Certification(s): CE, EN 12277 type D, UIAA 105								

28	Caving harness	Caving harnesses CE, EN 12277 type C Material(s): attachment points in Dyneema ® reinforced polyester, high- strength polyester webbing, TPU protection on leg loops, equipment loops Certification(s): CE, EN 12277 type C	Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.							
29	GriGri 2 Belay device with assisted braking	For descending on a single or doubled rope. EAN code								
30	Descender – Huite	Descender with assisted braking for single rope								

31	Belay Device – Petzl Stop	<p>Semi-static 9 mm diameter rope designed for independent caving and canyoning. Diameter: 9 mm Certification(s): CE, EN 1891 type B Breaking strength: 22 kN Strength tied with a figure eight knot: 12 kN Shock load (factor 0.3): 4 kN Number of factor 1.77 falls: 9 Weight per meter: 56 g Construction: 32 carrier Percentage of sheath: 45 % Static elongation: 3.5 %</p>	<p>Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.</p>							
----	---------------------------	--	---	--	--	--	--	--	--	--

32	Rope 9 mm Diameter	Semi-static 10 mm diameter rope designed for caving and canyoning Diameter: 10 mm Certification(s): CE EN 1891 type A Breaking strength: 28 kN Strength tied with a figure eight knot: 16 kN Shock load (factor 0.3): 4.8 kN Number of factor 1.77 falls: 10 Weight per meter: 69 g Construction: 32 carrierpercentage of sheath: 47 % Static elongation:3 %.								
33	Rope 10 mm Diameter	Type of rope: (CE EN 564, UIAA): cord								
34	Prusick Sling Semi-static rope	D-shaped locking carabiner for attaching devices to a harness Material(s): aluminum								
35	Carabiner D Shape Screw Lock	Large, pear-shaped locking carabiner for belay stations and belaying with a Munter								

36	Carabiner D Shape Screw Lock	Large, pear-shaped locking carabiner for belay stations and belaying with a Munter hitch Material(s): aluminum Certification(s): CE EN 12275	Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.								
37	Carabiner Pear Shape Screw Lock	Material(s): aluminum Certification(s): CE EN 362, CE EN 12275 type B, UIAA									
38	Lock Screw Carabiner	Oval-shaped carabiner for use with pulleys Material(s): aluminum Certification(s): CE EN 362, CE EN 12275 type B									
39	Oval-shaped Carabiner	Semi-circle carabiner for closing a harness Material(s): aluminum Certification(s): CE EN 362, CE EN 12275 type B, UIAA (M37 TL only)									

40	Semi-circle Carabiner	Quickdraw with ultra-light carabiners Material(s): aluminum carabiners, Dyneema sling with nylon stitching Certification(s): - carabiner: CE EN 12275 type B, UIAA - sling: CE EN 566, UIAA								
41	Quickdraw	Versatile carabiner for sport climbing, available in straight and bent gate versions Material(s): aluminum Certification(s): CE EN								
42	Plain Carabiner	Oval-shaped carabiner for aid climbing Material(s): aluminum Certification(s): CE EN 12275 type B, UIAA								
43	Oval-shaped Carabiner	Ergonomic handled ascender Material(s): aluminum, stainless steel, plastic, rubber, nylon Rope compatibility: 8 to 13 mm								

44	Jumar - ASCENSION Left or Right	Material(s): aluminum frame, stainless steel cam and wear plate, nylon safety catch Rope compatibility: 8 to 11 mm Certification(s): CE EN 567, UIAA	Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.							
45	Chest ascender	Material(s): aluminum, stainless steel, Dyneema Rope compatibility: 8 to 13 mm								
46	Foot ascender	Rappel back-up ascender Material(s): aluminum frame Rope compatibility: 10-11 mm single ropes or doubled ropes 8-11 mm Certification(s): CE EN 567, UIAA								
47	SHUNT	Material(s): stainless steel Rope compatibility: 8 to 11 mm Certification(s): CE EN 567, UIAA								
48	TIBLOC Ultra- light emergency ascender	Material(s): nylon, steel								

49	<p>FOOT TAPE Adjustable webbing foot loop</p>	<p>Very efficient loss-resistant progress capture pulley. Certification(s): CE EN 567 Material(s): aluminum, stainless steel, nylon Min. rope diameter: 8 mm. Max. rope diameter : 13 mm. Sheave type: sealed ball bearings Sheave diameter: 38 mm. Working load: 2 x 2.5 = 5 kN. Breaking strength: 2 x 11 = 22 kN orking load as progress capture pulley: 2.5 kN Breaking strength as progress capture pulley: 4 kN Efficiency: 95 %</p>	<p>Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer accredited, such as Petzl, Camp, Beal, Salewa etc.</p>							
----	---	--	---	--	--	--	--	--	--	--

50	PRO TRAXION	<p>Min. rope diameter: 8 mm. Max. rope diameter: 11 mm Sheave type: sealed ball bearings Sheave diameter: 25 mm Efficiency: 91 % Working load: 2 x 2.5 kN. Breaking strength: 7.5 x 2 kN Working load as progress capture pulley: 2.5 kN Breaking strength as progress capture pulley: 4 kN Certification(s): CE EN 567, UIAA</p>								
51	MICRO TRAXION Very efficient ultra-light progress capture pulley	<p>Min. rope diameter: 7 mm Max. rope diameter: 11 mm Sheave diameter: 25 mm Efficiency: 91 % Working load: 5 kN (2.5 kN on one rope end) Breaking strength: 15 kN Material(s): aluminum side plates, aluminum sheave Certification(s): CE EN 12278, UIAA</p>								

51	PARTNER Compact pulley with swinging side plates	Min. rope diameter: 7 mm Max. rope diameter: 13 mm Sheave diameter: 38 mm Efficiency: 95 %	Any UIAA – (Union international Alpine Association), International Climbing and Mountaineering Federation, brand / manufacturer							
52	Single Rescue Pulley High-strength pulley with swinging side plates	Product specifications Min. rope diameter: 7 mm Max. rope diameter: 13 mm Sheave type: self-lubricating bushings Sheave diameter: 21 mm Efficiency: 71 % Working load: 5 kN (2.5 kN on one rope end) Breaking strength: 23 kN Material(s): aluminum side plates, aluminum sheave Certification(s): CE EN 12278, UIAA	accredited, such as Petzl, Camp, Beal, Salewa etc.							

53	Pulley with fixed side plates	Min. rope diameter: 7 mm Max. rope diameter: 11 mm Sheave diameter: 25 mm Efficiency: 91 % Working load: 6 kN (1.5 kN on one rope end) Breaking strength: 23 kN Material(s): aluminum side plates, aluminum sheave Certification(s): CE EN 12278, UIAA								
54	Double Prusik pulley	Max. rope diameter: 13 mm Sheave diameter: 21 mm Efficiency: 71 % Working load: 10 kN Breaking strength: 24 kN Certification(s): CE EN 12278, UIAA								

55	Double pulley for travel along ropes	Max. rope diameter: 13 mm Max. cable diameter: 12 mm Sheave diameter: 21 mm Efficiency: 71 % Working load: 10 kN Breaking strength: 24 kN Certification(s): CE EN 12278, UIAA								
56	Double pulley for travel along ropes and cables	Max. rope diameter: 13 mm Max. cable diameter: 12 mm Sheave type: sealed ball bearings Sheave diameter: 27.5 mm Efficiency: 95 % Working load: 10 kN Breaking strength: 24 kN Certification(s): CE EN 12278, UIAA								
57	Efficient double pulley for travel along ropes and cables	Length: 15 - 95 cm Certification(s): CE Material(s): nylon, aluminum, thermoplastic elastomer (TPE)								

58	Single positioning lanyard with adjustable arm	Fixed arm length: 45 cm Adjustable arm length: 15 to 95 cm Certification(s): CE Material(s): nylon, aluminum, thermoplastic elastomer (TPE)								
59	Single positioning lanyard with adjustable arm	Fixed arm length: 45 cm Adjustable arm length: 15 to 95 cm Certification(s): CE Material(s): nylon, aluminum, thermoplastic elastomer (TPE)								
60	Double positioning lanyard with one fixed arm and one adjustable arm	Material(s): nylon webbing Certification(s): CE, UIAA								
61	Asymmetric double lanyard Lanyard designed to help pass re belays when caving or canyoning.	Semi-hardened steel forged piton. Piton for thin, parallel-sided cracks in limestone or granite. Material(s): steel Type(s): P Certification(s): CE								

62	Rock Pitton	Ball bearing swivel positioned between the rope and the load, the swivel allows the load to turn without twisting the rope. Breaking strength: 23 kN Working load: 5 kN Certification(s): CE, EAC								
63	SWIVEL S (Petzl)	Material(s): aluminum Breaking strength: 36 kN Certification(s): CE								
64	PAW S Rigging plate	Material(s): nylon, polyester								
65	Chalk bag	Material(s): 100 % magnesium carbonate								
66	Chalk Powder	Material(s): isopropyl alcohol, magnesium hydroxide carbonate, rosin, hydroxypropyl cellulose, styrax benzoin Eco-friendly product								
67	Liquid chalk	Material(s): TPU, nylon, polyethylene, aluminum								

68	Rescue stretcher	Material(s): goat skin leather, stretch nylon Certification(s): CE EN 420, CE EN 388 (3133)								
69	Gloves	Material(s): goat skin leather, stretch nylon Certification(s): CE EN 420, CE EN 388 (3144)								
70	Gloves	Material(s): Leather and nylon								
71	Mittens	Material(s): nylon and Dyneema®webbing, polyester stitching Certification(s): CE, UIAA 24 cm 60 cm 120 cm								
72	Tape Sling	Breaking strength: 22 kN Material(s): polyester Certification(s): CE, UIAA 60 cm 80 cm 120 cm , 150 cm								

73	Tape Sling	Material(s): polyester Color: black/gray EAN code - 3342540054585								
74	Etrier	Weight: 400 g Maximum working load: 200 kg Certifications: EN 341 type 2 class A, CE EN 12841 type C, CE EN 15151-1, NFPA 1983 Technical Use, EAC - EN 341 type 2 class A when used with a PARALLEL 10.5 mm or AXIS 11 mm rope - EN 12841 type C when used with a 10 to 11.5 mm EN 1891 A rope - EN 15151-1 when used with a 9 to 10.5 mm rope - NFPA 1983 Technical Use when used with a 10 to 11.5 mm rope								

75	Rig	Min. rope diameter: 10 mm Max. rope diameter: 11,5 mm Weight: 530 g Certification(s): EN 341 classe A, CE EN 12841 type C, ANSI Z359.4, NFPA 1983 Technical Use, EAC								
----	-----	---	--	--	--	--	--	--	--	--

76	ID'S	<p>Material(s): aluminum, steel, nylon Weight: 600 g Maximum working load: 250 kg (more information in the Instructions for Use and in the technical advice at www.petzl.com)</p> <p>Certification(s): EN 341 type 2 class A, CE EN 12841 type C, CE EN 15151-1, ANSI Z359.4, NFPA 1983 Technical Use, EAC - EN 341 type 2 class A when used with a PARALLEL 10.5 mm or AXIS 11 mm rope - EN 12841 type C when used with a 10 to 11.5 mm EN 1891 A rope - EN 15151-1 when used with a 9 to 11 mm rope - ANSI Z359.4 when used with a 10 to 11.5 mm rope - NFPA 1983</p>
----	------	--

--	--	--	--	--	--	--

77	ID'L	Material(s): aluminum frame Weight: 188 g Rope compatibility: 10-11 mm single ropes or doubled ropes 8-11 mm Certification(s): CE EN 567, UIAA								
78	SHUNT	Intended for moving on fixed ropes (as a back-up belay), for hauling heavy loads, and as a progress capture device in hauling systems								
79	RESCUCENDER Rope clamp / grab	Material(s): aluminum, stainless steel, nylon Weight: 260 g Certification(s): CE EN 567, CE EN 12841 type B, EAC, NFPA 1983 Technical Use Rope compatibility: 9-13 mm								
80	RESCUCENDER Openable cam-loaded rope clamp									